#801-806 NAGATAHIGASHI
HIGASHIOSAKA OSAKA 577-0012
JAPAN ▪ SUREFIRE.JP

SUREFIRE®

SUREFIRE 2021 CATALOG

"I DEMAND THAT WE BUILD THE BEST, NO MATTER WHAT."

- DR. JOHN MATTHEWS

CONTENTS

04 WEAPONLIGHT SYSTEMS

06....HANDGUN LIGHTS
10....MASTERFIRE®
14....SCOUT LIGHT PRO FAMILY
18....WEAPONLIGHT PARTS
22....FOREND LIGHTS
24....HELLFIGHTER SERIES

26 HANDHELD LIGHTS

28....EVERYDAY CARRY
30....ULTRA COMPACT
32....G2X SERIES
34....DUAL FUEL
36....MULTIPLE SPECTRUM

38 HANDS-FREE LIGHTS

42 BATTERIES

46 SUPPRESSORS

48....SOCOM SUPPRESSORS
52....SAFETY DEVICES & TRAINERS
54....SF RYDER SERIES
56....MUZZLE DEVICES

62 WEAPON COMPONENTS

66 HEARING PROTECTION

WEAPONLIGHT SYSTEMS

NO-COMPROMISE FIGHTING TOOLS

SureFireは武器搭載ライトのパイオニアで、当社のWeaponLightは最高のパフォーマンスと信頼性を求め、実践で性能が証明されているテクノロジーを用いて設計され、最良の素材を用いて精密に製造されています。当社はフルサイズ、コンパクト、マイクロコンパクトピストル向けの短銃搭載ライトを提供しています。また当社の長銃用Scout Light®モデルは、どのモデルでもユーザーのニーズに合わせられるように、多様な取り替えオプションをご用意しています。当社のForend WeaponLightは、武器選択システムにより、工場製フォアエンドを直接代替できます。SureFireのどのWeaponLightも、最も緊迫した状況で安心をもたらします。

DID YOU KNOW?

+ SureFireのWeaponLightを買うということは、世界中の軍隊や法執行機関のプロフェッショナルが最も信頼するブランドを買うということです。当社のライトは他社のライトよりも緊迫した状況で使用されてきました。当社では最上級の発光体、高度なデジタル制御エレクトロニクス、精密光学部品のみを用いて、光出力と点灯時間を最大化しながら、ユーザーのミッションがどのようなものであれ、それに最も適した光線として光を照射します。

+ SureFireは業界で最も総合的なWeaponLightシリーズを提供し、信頼性が高く、人間工学に基づき、直観的に操作しやすい非常に多様なオプションを用意しています。例として、付属部品のリモート圧力スイッチがあり、いつでも必要なときに必要なライトを照射します。あなたが夢見るものは、すでに当社が実現していると言えるでしょう。

+ SureFire独自のTotal Internal Reflection（TIR）レンズモデルは、遠距離照射光と周辺光を最適に併用しているため、見る必要のあるものをはっきり見ることができます。これらの精密光学部品は最大限のルーメン効率を提供し、同じサイズのリフレクターでは不可能な範囲までほとんどの光を照射します。TIRは照射した光の残余を含む円錐形の周辺光で、離れた場所にある重要なターゲットを照らします。

+ 当社が特許取得済みのMaxVision Beam®モデルは、近・中距離での使用に最適な光を作り出します。その非常にスムーズでシームレスに広範囲を照らす光の壁は、視界全体に対する人間の視覚的反応に対応しており、状況認識を最大限に維持するのに理想的です。

+ SureFireのParabolic Reflectorモデルは、光が乏しい状況でもよりよく見えるように十分なスローとスピルを実現します。これらのリフレクターはムラのない明瞭な光線を生み出すため、重要なターゲットをはっきりと照らしながら、十分な周辺光で状況認識の維持を可能にします。

+ SureFireのWeaponLightの頑強なボディは、航空宇宙グレードのアルミニウムを使って機械加工されており、安心の強固な信頼性を実現しています。どのモデルも防腐のため軍用規格の硬質アルマイト処理を施しています。また精巧な電子装置は濡れると不具合が生じるため、すべてのボディは水濡れ防止のためにOリングとガスケットで密封されています。内部では電子装置をコンフォーマルコーティングで保護し、湿気からの保護を強化しています。

+ SureFireはお客様が最も利用しやすい電源で作動する優れたWeaponLightを見つけるお手伝いをします。取り扱いモデルには、Dual Fuel、リチウム一次（使い捨て）、AAAニッケル水素充電式電池対応の製品があります。当社の短銃用WeaponLightの多くは、リチウムポリマー電池を内蔵しており、長銃用ライトは当社の充電式リチウム電池での電力供給が可能です。

+ SureFireのWeaponLightはすべて当社のNo-Hassle Guaranteeによる保証付きです。

XSC SERIES

PART #	UPC	DESCRIPTION
XSC-A	084871329170	MICRO-COMPACT HANDGUN LIGHT - GLOCK 43X & 48
XSC-HELLCAT	084871330183	MICRO-COMPACT HANDGUN LIGHT - SPRINGFIELD ARMORY HELLCAT
XSC-P365	084871330176	MICRO-COMPACT HANDGUN LIGHT - SIG SAUER P365 SERIES
CH21	084871329187	XSC SERIES LITHIUM POLYMER RECHARGEABLE BATTERY & CHARGER
B12	084871329194	XSC SERIES LITHIUM POLYMER RECHARGEABLE BATTERY

OUTPUT (LUMENS)	RUNTIME (MINUTES)	CANDELA	WEIGHT	LENGTH	BATTERIES
350	30	2,000	1.7 oz (48.2 g)	1.94 in (4.9 cm)	LITHIUM POLYMER

XSC-A

XSC-P365

XSC-HELLCAT

CH21

XC1®

PART #	UPC	DESCRIPTION
XC1-B	084871326988	ULTRA-COMPACT LED HANDGUN LIGHT NSN 6230-01-674-5605
Z91	084871329071	RAIL KIT FOR XC1

OUTPUT (LUMENS)	RUNTIME (MINUTES)	CANDELA	WEIGHT	LENGTH	BATTERIES
300	45	820	1.6 oz (45.4 g)	2.5 in (6.3 cm)	(1) AAA

XC2®

PART #	UPC	DESCRIPTION
XC2-A	084871326575	ULTRA-COMPACT LED HANDGUN LIGHT + RED LASER SIGHT NSN 1005-01-668-8908
Z92	084871329088	RAIL KIT FOR XC2

OUTPUT (LUMENS)	RUNTIME (MINUTES)	CANDELA	WEIGHT	LENGTH	BATTERIES
300/<5.0mW; 635 nm Class IIIa	30	820	2.1 oz (59.5 g)	2.5 in (6.3 cm)	(1) AAA

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

X300U

PART #	UPC	DESCRIPTION
X300U-A	084871319065	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT NSN 6230-01-617-8332
X300U-A-TN	084871320252	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT NSN 6230-01-681-4750
X300U-B	084871324939	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT NSN 6230-01-649-7363
X300U-B-TN	084871324946	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT

X300U-A

X300U-B

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000	1.25	11,300	4.0 oz (113 g)	3.6 in (9.1 cm)	1.125 in (2.9 cm)	(2) 123A

X300V

PART #	UPC	DESCRIPTION
X300V	084871321181	INFRARED / WHITE LED HANDGUN LIGHT
X300V-B	084871325547	INFRARED / WHITE LED HANDGUN LIGHT NSN 6230-01-669-1760

X300V

X300V-B

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
350 / 120 mW (860 nm)	2.5 / 16.75	13,000	4.0 oz (113 g)	4.0 in (10.0 cm)	(2) 123A

X400U

PART #	UPC	DESCRIPTION
X400U-A-GN	084871321198	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT + GREEN LASER SIGHT
X400U-A-RD	084871321211	ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT + RED LASER SIGHT NSN 6230-01-652-9018

PART #	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400U-A-GN	1,000 / <5 mW (515nm)	1.25 / 24 (laser)	11,300	4.9 oz (139 g)	3.75 in (9.5 cm)	(2) 123A
X400U-A-RD	1,000 / <5 mW (635nm)	1.25 / 24 (laser)	11,300	4.9 oz (139 g)	3.75 in (9.5 cm)	(2) 123A

DG SWITCH & PART KITS

PART #	UPC	DESCRIPTION
DG-11	084871852807	GLOCK 17,17L,18,19,20,21,22,23,24,31,32,34,35 RAILS. BERETTA PX4 FULL SIZE, H&K P2000 NSN 5930-01-640-8794
DG-12	084871311458	SMITH & WESSON M&P
DG-13	084871852999	SIG SAUER P220R, SP2022, P227R
DG-14	084871852791	SIG SAUER P226R, P320 COMPACT, H&K P30 NSN 5930-01-560-3165
DG-15	084871852937	H&K USP COMPACT 40/45 (USING MR08) NSN 5930-01-534-7002
DG-16	084871851244	BERETTA 92FS/96FS (USING MR11)
DG-18	084871851251	STANDARD 1911 (WITH RAILS)
DG-18A	084871311557	KIMBER TLE (WITH RAILS), SPRINGFIELD TRP, 1911, SPRINGFIELD OPERATOR
DG-19	084871851268	H&K USP FULL SIZE 40/45 (USING MR09) NSN 5930-01-540-3215
DG-20	084871851305	BERETTA 96 VERTEK, H&K VP9
DG-22	084871310659	SIG SAUER P229R, P320 FULL SIZE, FN 5.7
DG-23	084871310376	SIG SAUER 226 (USING MR14A OR MR14B) NSN 5930-01-547-7717
DG-24	084871310468	SPRINGFIELD XD STANDARD FRAME, H&K 45 FULL SIZE

PART #	UPC	DESCRIPTION
Z89	084871328937	MOUNT PARTS KIT, X300U-A, X300V
Z90	084871328944	MOUNT PARTS KIT, X300U-B, X300V-B, X400U/V
Z90-TN	084871328951	MOUNT PARTS KIT, X300U-B-TN

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

MASTERFIRE® HOLSTER PRO

PART #	UPC	DESCRIPTION
HDI-R-PRO	084871330046	RAPID DEPLOY HOLSTER WITH COVER - RIGHT HANDED - BLACK
HDI-L-PRO	084871330060	RAPID DEPLOY HOLSTER WITH COVER - LEFT HANDED - BLACK
HDI-R-TN-PRO	084871330053	RAPID DEPLOY HOLSTER WITH COVER - RIGHT HANDED - TAN
HDI-L-TN-PRO	084871330077	RAPID DEPLOY HOLSTER WITH COVER - LEFT HANDED - TAN

LEVEL 3 RETENTION

Level3の保持と提供。
主要および2次ロックシステムで銃器を固定します。

HOLSTER POSITION

素早く利用できるようにポジション
ホルスターの角度を最大限に利用し、
一貫したドローストローク。

VIRTUALLY UNBREAKABLE

2段階ロックの作動時にMasterFireホルスター
から力ずくで武器を取り外すには、およそ270キロ
の力が必要です。

ADJUSTABILITY

好みに合わせてカスタマイズ可能。
ほとんどのピストルベルトに合わせて
調整可能です。

INSTANT ACTIVATION

SureFire H-Series WeaponLight製品であれば
どれでも、銃をホルスターから抜いた瞬間に、自動的
に照明がつくようにMasterFireのスイッチを設定
できます。ストレスの高い状況で貴重な時間を節約
することができます。

COMPATIBILITY

多種多様なハンドガンに対応しています。
Safariland QLSシステムと接続します。

LOCKOUT FEATURE

ピストルを抜き出すと自動アクティベーション
スイッチが発動し、ウエポンライト自動点灯。

SUPPRESSORS & RED DOTS

オープンデザイン収納する光学系レッドドットと
サビレッサー、SF RYDERシリーズも含む。

REMOVABLE COVER
(Included)

REMOVABLE LEG STRAP
(Included)

FIREPAK®

PART #	UPC	DESCRIPTION
FIREPAK-A	084871325585	FLASHLIGHT AND BATTERY PACK

LEVELS	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA
1	100	10.25	3,500
2	300	3.5	
3	600	1.75	
4	1,500	1.75	

WEIGHT	LENGTH	BATTERIES
4.5 oz (127.5 g)	4.6 in x 2.2 in x .80 in	LITHIUM POLYMER

FIREPAK
(Not Included)

XH30™

PART #	UPC	DESCRIPTION
XH30	084871327619	ULTRA-HIGH DUAL-OUTPUT HOLSTER WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000 / 300	1.25 / 2.5	11,300	4.8 oz (136 g)	3.7 in (9.4 cm)	1.25 in (3.175 cm)	(2) 123A

XH50

PART #	UPC	DESCRIPTION
XH50G	084871330145	ULTRA-HIGH + GREEN LASER HOLSTER WEAPONLIGHT
XH50R	084871330152	ULTRA-HIGH + RED LASER HOLSTER WEAPONLIGHT

PART #	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
XH50G	850 / <5 mW (515 nm)	1.25 / 24 (laser)	4,400	4.8 oz (136 g)	3.7 in (9.4 cm)	(2) 123A
XH50R	1,000 / <5 mW (635nm)	1.25 / 24 (laser)	4,400	4.8 oz (136 g)	3.7 in (9.4 cm)	(2) 123A

X400UH

PART #	UPC	DESCRIPTION
X400UH-A-GN	084871326421	ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + GREEN LASER
X400UH-A-RD	084871326414	ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + RED LASER

PART #	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400UH-A-GN	1,000 / <5 mW (515nm)	1.25 / 24 (laser)	11,300	4.9 oz (139 g)	3.75 in (9.5 cm)	(2) 123A
X400UH-A-RD	1,000 / <5 mW (635nm)	1.25 / 24 (laser)	11,300	4.9 oz (139 g)	3.75 in (9.5 cm)	(2) 123A

X400VH

PART #	UPC	DESCRIPTION
X400VH-B-IRC	084871326605	INFRARED/WHITE HANDGUN HOLSTER LIGHT + INFRARED LASER

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
350 / 120 mW / <0.7 mW (850 nm)	2.5 / 16.75 / 20	12,750	4.9 oz (139 g)	4.0 in (10.1 cm)	(2) 123A

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

XVL2

PART #	UPC	DESCRIPTION
XVL2	084871327602	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIb NSN 6230-01-674-5624
XVL2-TN	084871327633	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIb
XVL2-IRC	084871329095	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIa
XVL2-TN-IRC	084871329101	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIa
Z88	084871328012	PARTS KIT FOR XVL2 / XVL2-IRC
Z88-TN	084871328210	PARTS KIT FOR XVL2 / XVL2-IRC

CO-ALIGNED IR & GREEN LASERS

GN Laser: <5 mW (+/- 10%) IR: <0.7 mW (+/- 10%)

IR & WHITE ILLUMINATOR

実質的に破壊不可能な白色光・赤外線LEDを制御し、出力と作動時間を最大化しました。

MAXVISION BEAM[8]

近距離使用に最適な光線パターンを生成し、ホットスポットのないスムーズで継ぎ目のない光の壁を生み出します。

PART #	OUTPUT	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
XVL2 XVL2-TN	WH: 400 lumens IR: 300 mW GN Laser: <5 mW (520 nm) / <47 mW (+/- 10%) IR Laser: <0.7 mW (850 nm) / <3 mW (+/- 10%)	WH: 1.5 IR: 2.75	820	3.3 oz (95 g)	4.5 in (11.43 cm)	(1) 123A
XVL2-IRC XVL2-TN-IRC	WH: 400 lumens IR: 300 mW GN Laser: <5 mW (520 nm) IR Laser: <0.7 mW (850 nm)	WH: 1.5 IR: 2.75	820	3.3 oz (95 g)	4.5 in (11.43 cm)	(1) 123A

XVL2 REMOTE SWITCH PISTOL

PART #	UPC	DESCRIPTION
RSP-01	084871327930	GLOCK FULL SIZE AND COMPACT GEN3/GEN4/GEN5 FRAMES
RSP-02	084871327954	HECKLER & KOCH P30 & VP9 SERIES PISTOL FRAMES
RSP-03	084871327978	SIG SAUER FULL SIZE/COMPACT P320, M17, M18, X-CARRY, X5 FULL-SIZE, X-VTAC AND P226R
RSP-04	084871327985	SIG SAUER X-CARRY, X5 FULL-SIZE, X-VTAC AND P226R

XVL2 REMOTE SWITCH RIFLE

PART #	UPC	DESCRIPTION
RSR-07	084871327947	7" SWITCH WITH MOMENTARY ON PRESSURE PAD
RSR-SR07	084871329491	7" SWITCH WITH MOMENTARY/CONSTANT ON PRESSURE PAD

RSR-07

RSR-SR07

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

M340C PRO

PART #	UPC	DESCRIPTION
M340C-BK-PRO	084871329224	COMPACT LED WEAPONLIGHT
M340C-TN-PRO	084871329231	COMPACT LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
500	1	7,600	3.65 oz (103.5 g)	4.1 in (10.4 cm)	1.125 in (2.9 cm)	(1) 123A

M640U PRO

PART #	UPC	DESCRIPTION
M640U-BK-PRO	084871329286	ULTRA-HIGH-OUTPUT LED WEAPONLIGHT
M640U-TN-PRO	084871329293	ULTRA-HIGH-OUTPUT LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000	1.25	11,300	4.35 oz (123.3 g)	5.5 in (13.9 cm)	1.125 in (2.9 cm)	(2) 123A

M640DF PRO

PART #	UPC	DESCRIPTION
M640DF-BK-PRO	084871329262	DUAL FUEL LED WEAPONLIGHT
M640DF-TN-PRO	084871329279	DUAL FUEL LED WEAPONLIGHT

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	1.5	16,000	5.5 oz	5.56 in	1.125 in
(2) 123A	1,200	1.25	12,800	(156 g)	(14.1 cm)	(2.9 cm)

M340V PRO

PART #	UPC	DESCRIPTION
M340V-BK-PRO	084871329248	COMPACT INFRARED / WHITE LED WEAPONLIGHT
M340V-TN-PRO	084871329255	COMPACT INFRARED / WHITE LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
250 / 100 mW	1.5 / 6	9,300	3.4 oz (96.4 g)	4.1 in (10.4 cm)	1.06 in (2.7 cm)	(1) 123A

M640V PRO

PART #	UPC	DESCRIPTION
M640V-BK-PRO	084871329309	INFRARED / WHITE LED SCOUT LIGHT
M640V-TN-PRO	084871329316	INFRARED / WHITE LED SCOUT LIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
350 / 120 mW	2.5 / 16.75	12,750	4.15 oz (117.7 g)	5.5 in (13.9 cm)	1.06 in (2.7 cm)	(2) 123A

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

M300C

PART #	UPC	DESCRIPTION
M300C-Z68-BK	084871324670	COMPACT LED WEAPONLIGHT
M300C-Z68-TN	084871327107	COMPACT LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
500	1	7,600	4.1 oz. (116 g)	4.1 in (10.4 cm)	1.125 in (2.9 cm)	(1) 123A

M600U

PART #	UPC	DESCRIPTION
M600U-Z68-BK	084871323802	ULTRA-HIGH-OUTPUT LED WEAPONLIGHT
M600U-Z68-TN	084871327084	ULTRA-HIGH-OUTPUT LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000	1.25	11,300	4.8 oz. (136 g)	5.5 in (13.9 cm)	1.125 in (2.9 cm)	(2) 123A

M600DF

PART #	UPC	DESCRIPTION
M600DF-BK	084871326872	DUAL FUEL LED WEAPONLIGHT
M600DF-TN	084871327145	DUAL FUEL LED WEAPONLIGHT

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	1.5	16,000	5.15 oz (146 g)	5.56 in (14.1 cm)	1.125 in (2.9 cm)
(2) 123A	1,200	1.25	12,800			

M952V

PART #	UPC	DESCRIPTION
M952V-BK	084871312691	INFRARED / WHITE LED WEAPONLIGHT (M-AD-SF, DS07) NSN 6240-01-585-1086
M952V-TN	084871312707	INFRARED / WHITE LED WEAPONLIGHT (M-AD-SF, DS07) NSN 6230-01-589-4822

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
350 / 120 mW	2.5 / 16.75	12,750	7.4 oz (209 g)	6.2 in (15.75 cm)	1.06 in (2.7 cm)	(2) 123A

M300V

PART #	UPC	DESCRIPTION
M300V-B-Z68-BK	084871325325	COMPACT INFRARED / WHITE LED WEAPONLIGHT NSN 6230-01-657-1683
M300V-B-Z68-TN	084871327114	COMPACT INFRARED / WHITE LED WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
250 / 100 mW	1.5 / 6	9,300	4 oz (113.3 g)	4.1 in (10.4 cm)	1.06 in (2.7 cm)	(1) 123A

M600IB

PART #	UPC	DESCRIPTION
M600IB-Z68-BK	084871325745	AUTO-ADJUSTING VARIABLE-OUTPUT LED SCOUT LIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
600	1.5	14,750	6.2 oz (176 g)	5.8 in (14.7 cm)	1.37 in (3.48 cm)	(2) 123A

INTELLIBEAM® SENSOR

INTELLIBEAM® TECHNOLOGY

自動調整テクノロジーが周囲の環境を読み、瞬時に白色光の出力を最適化します。

M600V

PART #	UPC	DESCRIPTION
M600V-B-Z68-BK	084871325332	INFRARED / WHITE LED SCOUT LIGHT NSN 5855-01-660-5088
M600V-B-Z68-TN	084871327091	INFRARED / WHITE LED SCOUT LIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
350 / 120 mW	2.5 / 16.75	12,750	4.8 oz. (136 g)	5.5 in (13.9 cm)	1.06 in (2.7 cm)	(2) 123A

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

KEIH

PART #	UPC	DESCRIPTION
KEIH-BK	084871327312	M300C/M340C-PRO SERIES SCOUTLIGHT BEZEL
KEIH-TN	084871327329	M300C/M340C-PRO SERIES SCOUTLIGHT BEZEL

KE2

PART #	UPC	DESCRIPTION
KE2-B-BK	084871327671	M600U/M640U-PRO SERIES SCOUTLIGHT BEZEL
KE2-B-TN	084871327688	M600U/M640U-PRO SERIES SCOUTLIGHT BEZEL

KM1

PART #	UPC	DESCRIPTION
KM1-E-BK	084871327411	M300V/M340V-PRO SERIES SCOUTLIGHT BEZEL NSN 6230-01-682-3188
KM1-E-TN	084871327428	M300V/M340V-PRO SERIES SCOUTLIGHT BEZEL

KM2

PART #	UPC	DESCRIPTION
KM2-C-BK	084871327398	M600V/M640V-PRO SERIES SCOUTLIGHT BEZEL
KM2-C-TN	084871327404	M600V/M640V-PRO SERIES SCOUTLIGHT BEZEL

KM5

PART #	UPC	DESCRIPTION
KM5-A-BK	084871328005	XVL2 BEZEL
KM5-A-TN	084871328166	XVL2 BEZEL

MAXVISION BEAM®

当社で特許取得済みのMaxVision Beamは、視界全体に対する人間の視覚的反応に合わせた形状の光線を作り出します。近距離での使用に理想的で、状況認識を最大級のレベルに維持することができます。

LM1

PART #	UPC	DESCRIPTION
LM1-B-BK	084871327695	3V SHOTGUN/SMG FORENDS BEZEL

LM2

PART #	UPC	DESCRIPTION
LM2-B-BK	084871327701	6V SHOTGUN/SMG FORENDS BEZEL

MN03

PART #	UPC	DESCRIPTION
MN03	084871870641	LAMP ASSEMBLY, 6V, 60 LUMENS, FOR E2/E2E EXECUTIVE SERIES

P60

PART #	UPC	DESCRIPTION
P60	084871870016	REFLECTOR/LAMP ASSEMBLY, 6V, 65 LUMENS, FOR 6C/6P/6R/6Z/C2/D2/G2/G2Z/M2/Z2 HANDHELD LIGHTS NSN 6240-01-513-6526

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

WEAPONLIGHT SYSTEMS // SUREFIRE

M75

PART #	UPC	DESCRIPTION
M75	084871860758	SCOUT LIGHT THUMBSCREW MOUNT
M75-TN	084871327961	SCOUT LIGHT THUMBSCREW MOUNT

M-AD-SF

PART #	UPC	DESCRIPTION
M-AD-SF	084871327305	AMERICAN DEFENSE MANUFACTURING, QD LEVER SCOUT LIGHT MOUNT
M-AD-SF-TN	084871328043	AMERICAN DEFENSE MANUFACTURING, QD LEVER SCOUT LIGHT MOUNT

SR07-D-IT

PART #	UPC	DESCRIPTION
SR07-D-IT	084871310925	REMOTE DUAL SWITCH FOR WEAPONLIGHT + LASER DEVICE NSN 5930-01-623-5207
SR09-D-IT	084871310949	REMOTE DUAL SWITCH FOR WEAPONLIGHT + LASER DEVICE NSN 5930-01-581-6956

ST07

PART #	UPC	DESCRIPTION
ST07	084871852777	REMOTE TAPE SWITCH FOR WEAPONLIGHT NSN 5930-01-531-2192

MH30

PART #	UPC	DESCRIPTION
MH30	084871327831	M300 SERIES SCOUT LIGHT BODY
MH30-TN	084871327848	M300 SERIES SCOUT LIGHT BODY

MH60

PART #	UPC	DESCRIPTION
MH60	084871853682	M600 SERIES SCOUT LIGHT BODY
MH60-TN	084871327787	M600 SERIES SCOUT LIGHT BODY

UE07

PART #	UPC	DESCRIPTION
UE07	084871859073	SCOUT LIGHT REMOTE SWITCH NSN 6150-01-594-3669
UE07-TN	084871324038	SCOUT LIGHT REMOTE SWITCH

UE

PART #	UPC	DESCRIPTION
UE-BK	084871321679	Z68 CLICK STYLE TAILCAP REPLACEMENT (DOES NOT INCLUDE SWITCH)
UE-TN	084871321686	Z68 CLICK STYLE TAILCAP REPLACEMENT (DOES NOT INCLUDE SWITCH)

RM45

PART #	UPC	DESCRIPTION
RM45	084871323611	45 DEGREE OFF-SET SCOUT LIGHT MOUNT NSN 5340-01-659-4715
RM45-TN	084871323628	45 DEGREE OFF-SET SCOUT LIGHT MOUNT

DS00

PART #	UPC	DESCRIPTION
DS00	084871323840	SCOUT LIGHT SWITCH NSN 5930-01-664-4488
DS00-TN	084871327558	SCOUT LIGHT SWITCH

UE-SR07

PART #	UPC	DESCRIPTION
UE-SR07-BK	084871323826	SCOUT LIGHT REMOTE SWITCH
UE-SR07-TN	084871323833	SCOUT LIGHT REMOTE SWITCH

XM07

PART #	UPC	DESCRIPTION
XM07	084871852739	MILLENNIUM WEAPONLIGHT REMOTE DUAL SWITCH TAILCAP ASSEMBLY NSN 5340-01-528-3149

DS07

PART #	UPC	DESCRIPTION
DS07	084871323857	SCOUT LIGHT WATERPROOF SWITCH
DS07-TN	084871327565	SCOUT LIGHT WATERPROOF SWITCH

DS-SR07

PART #	UPC	DESCRIPTION
DS-SR07	084871323864	SCOUT LIGHT WATERPROOF SWITCH
DS-SR07-TN	084871327534	SCOUT LIGHT WATERPROOF SWITCH

XT00

PART #	UPC	DESCRIPTION
XT00	084871312523	X-SERIES WEAPONLIGHTS TAILCAP SWITCH ASSEMBLY WITH DISABLE

XT07

PART #	UPC	DESCRIPTION
XT07	084871851282	X-SERIES WEAPONLIGHTS TAILCAP SWITCH ASSEMBLY WITH DISABLE NSN 5930-01-601-4631

DS-SR07-D-IT

PART #	UPC	DESCRIPTION
DS-SR07-D-IT	084871325301	DUAL REMOTE SWITCH FOR SCOUT LIGHT + LASER DEVICE
DS-SR07-D-IT-TN	084871327541	DUAL REMOTE SWITCH FOR SCOUT LIGHT + LASER DEVICE

SR07

PART #	UPC	DESCRIPTION
SR07	084871851237	RAIL GRABBER TAPE SWITCH, MOMENTARY/CONSTANT-ON NSN 5930-01-600-4327

Z61

PART #	UPC	DESCRIPTION
Z61	084871890663	REAR CAP ASSY FOR E1/E2 FLASHLIGHTS

Z68

PART #	UPC	DESCRIPTION
Z68	084871890687	CLICK STYLE TAILCAP NSN 5930-01-605-9781
Z68-TN	084871321662	CLICK STYLE TAILCAP

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

SHOTGUN FORENDS

PART #	UPC	DESCRIPTION
618LMG-B	084871328128	ULTRA-HIGH-OUTPUT FOREND WEAPONLIGHT FOR REMINGTON 870
DSF-500/590	084871321020	ULTRA-HIGH TWO-OUTPUT-MODE LED WEAPONLIGHT FOR MOSSBERG 590/500
DSF-870	084871321006	ULTRA-HIGH TWO-OUTPUT-MODE LED WEAPONLIGHT FOR REMINGTON 870

618LMG-B

DSF-870
DSF-500/590

PART #	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
618LMG-B	1,000	1.25	10,600	17.2 oz (487 g)	10.3 in (26 cm)	(2) 123A
DSF SERIES	600 / 200	1.5 / 3	13,000	18.2 oz (516 g)	9.2 in (23.4 cm)	(2) 123A

SUBMACHINE GUN FORENDS

PART #	UPC	DESCRIPTION
328LMF-B	084871328135	COMPACT LED WEAPONLIGHT FOR HK MP5, HK53 & HK94
628LMF-B	084871328142	HIGH-OUTPUT LED WEAPONLIGHT FOR HK MP5, HK53 & HK94

328LMF-B

628LMF-B

PART #	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
328LMF-B	500	1	7,600	9.6 oz (272.2 g)	8.14 in (20.6 cm)	(1) 123A
628LMF-B	1,000	1.25	10,600	17.6 oz (499 g)	9.48 in (24 cm)	(2) 123A

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

HELLFIGHTER®

PART #	UPC	DESCRIPTION
HF4A	084871316538	HID SEARCHLIGHT/WEAPONLIGHT, HIGH/LOW/STROBE MODES, INCLUDES INFRARED FILTER/COVER ASSEMBLY NSN 5855-01-589-0121
HF4A KIT01	084871316477	KIT INCLUDES HF4A, HFM-09, UH-01E, UH-05DB, BCS-2MIL-TN, HFM-10, GRIP SWITCH TOOLS, CLEANING KIT, OPERATOR'S MANUAL, GTA, PADDED STORAGE CASE
HF4A KIT02	084871316972	KIT INCLUDES HF4A, M99C, UH-01E, UH-05DB, BCS-2MIL-TN, HFM-10, GRIP SWITCH TOOLS, CLEANING KIT, OPERATOR'S MANUAL, GTA, PADDED STORAGE CASE NSN 6230-01-614-1752

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
3,000 / 1,000	12 VDC Vehicle System: continuous BA-5590 Military Battery: (1) 90 minutes; (2 Parallel) 3+ hours Integral Rechargeable Battery: 30 minutes	590,000	6.5 lbs (2.95 kg)	11 in (27.9 cm)	4.1 in (10.4 cm)	Integral rechargeable battery & DC power

HELLFIGHTER® ACCESSORIES

PART #	UPC	DESCRIPTION
BA-R-01	084871318228	BATTERY ASSEMBLY, RECHARGEABLE, LITHIUM ION, FOR HF4 SERIES HELLFIGHTER
BCH-1MIL-BK	084871312103	BATTERY CARRIER, HFI/HF4 SERIES HELLFIGHTER, HOLDS (1) BA 5590 BATTERY NSN 1350-01-531-7033
BCS-2MIL-M	084871327381	BATTERY CARRIER, PADDED NYLON (HFI/HF4) HOLDS (2) BA 5590 BATTERIES
BCS-2MIL-TN	084871312097	BATTERY CARRIER, PADDED NYLON (HFI/HF4) HOLDS (2) BA 5590 BATTERIES NSN 1350-01-577-0626
FM78	084871843782	FILTER ASSEMBLY, AMBER, FOR HFI SERIES HELLFIGHTER
FM79	084871318235	FILTER/COVER ASSEMBLY, INFRARED FILTER, FOR HF4 SERIES HELLFIGHTER NSN 5855-01-614-3369
HFM-09	084871316484	MOUNT ASSEMBLY, FITS MK93 WEAPON MOUNT (HFI/HF4)
HFM-10	084871316699	RAIL MOUNT ADAPTER, T-SLOT MOUNT TO FIT ONTO MIL-STD-1913 RAIL (HFI/HF4) NSN 6135-01-601-4635
LA-HID-01	084871318242	LAMP ASSEMBLY, HID, FOR HF4 SERIES HELLFIGHTER
M100	084871312073	HFI/HF4 SERIES UNIVERSAL PLATE MOUNT/ADAPTER FOR M99 MOUNT NSN 2840-01-577-0798
M87A	084871311472	HFI/HF4 SERIES MOUNT ASSEMBLY, FOR M2HB WITHOUT SHIELD NSN 6230-01-549-4053
M88A	084871311489	HFI/HF4 SERIES MOUNT ASSEMBLY, FOR M2HB WITH SHIELD
M89A	084871312981	MOUNT ASSEMBLY, MINIGUN, HELLFIGHTER
M89B	084871318792	MOUNT ASSEMBLY, MACHINED, MINIGUN, HELLFIGHTER
M96	084871312288	HFI/HF4 SERIES MOUNT ASSEMBLY, FOR AAVP7A1 NSN 6230-01-577-1437
M99A	084871312202	MOUNT, T RAIL, HELLFIGHTER, SHORT NSN 6230-01-577-1443
M99B	084871312219	MOUNT, T-RAIL, HELLFIGHTER, MOUNT, T-RAIL, HELLFIGHTER, EXTENDED NSN 6230-01-577-1448
SW-M2HB-03	084871316491	GRIP SWITCH ASSEMBLY, FOR HF4 SERIES HELLFIGHTER
UH-01DD	084871316040	SWITCH CABLE ADAPTER, FOR USE WITH TWO BA 5590 BATTERIES
UH-01DE	084871313575	CIGARETTE LIGHTER ADAPTER 24V TO 12V STEP DOWN CONVERTER NSN 5930-01-601-4634
UH-01E	084871316521	SWITCH CABLE ASSEMBLY, FOR HF4 SERIES HELLFIGHTER NSN 5930-01-601-4634
UH-05	084871316057	SWITCH CABLE, FOR HFI AND HF4 SERIES HELLFIGHTER
UH-05DA	084871317825	SWITCH CABLE ADAPTER W/ CIGARETTE LIGHTER PLUG, 7' LONG, FOR HFI/HF4 NSN 1005-01-601-4633
UH-05DB	084871316514	24V DC TO 12V DC NATO SLAVE CABLE ADAPTER/CONVERTER NSN 5935-01-601-4632
Z79	084871318266	PROTECTIVE WINDOW, ANTI-REFLECTIVE COATING, FOR HF4 SERIES HELLFIGHTER
Z80	084871318273	HARDWARE KIT, FOR HF4 SERIES HELLFIGHTER
Z81	084871318280	REPLACEMENT LATCH PIN, FOR HF4 SERIES HELLFIGHTER
Z82	084871318297	O-RING, FITS BETWEEN LAMP/REFLECTOR HOUSING & BATTERY CUP ON HF4
Z83	084871318303	REPLACEMENT GASKET FITS BETWEEN BATTERY CAP & BATTERY HOUSING - HF4

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

HANDHELD LIGHTS

INNOVATION IS OUR STANDARD

SureFireが初めてタクティカルフラッシュライトを製造したのは1986年で、当社はこの分野に豊富な知識と経験を有しています。任務の大小にかかわらず、あらゆる任務に適した携帯用フラッシュライトを用意しています。SureFireのフラッシュライトは最小サイズで最大の出力を、業界最高品質で提供します。当社の耐久性の高いキーチェーンライトから携帯用懐中電灯のUDR Dominatorまで、最上級のLED発光体、高性能の電子装置、堅牢なボディのみを使用しています。その結果、長年に渡り、他のどのブランドでも手に入れられない比類なき品質と優れたパフォーマンス、堅固な耐久性を実現しています。

DID YOU KNOW?

- 当社は現在手に入る最高品質のフラッシュライトを製造しています。SureFireの携帯型ライトは、当社のワールドクラスのWeaponLightと同じく最上級のLED、高度なデジタル制御エレクトロニクス、精密光学部品を使用しています。お客様固有のニーズに合わせて最適化した最大限の光出力、理想的な点灯時間、ビームパターンを提供します。

- SureFireはタクティカルテールキャップを考案しており、当社のクリック式テールキャップは業界最高のスイッチングを可能にします。当社ではフラッシュライトの多数のモデルに、これらの信頼性が高く、人間工学に基づき、直観的に操作しやすいスイッチを搭載しています。また連続点灯用のアクセルペダル式回転テールキャップや、調光可能なヘッドスイッチを採用したモデルも選べます。どのようなタイプをお好みでも、お客様にぴったりのSureFire製携帯型ライトがあります。

- SureFireの堅牢で丈夫な照明ツールは、耐用年数の間持つ耐久性を提供します。航空宇宙グレードのアルミニウムを使って機械加工されたか、あるいは非導電性、耐腐食、高強度のポリマーで製造されたボディは、耐久性に優れています。最もストレスの多い環境でもしっかり握れる凹凸の滑り止め加工も特徴です。

- 私たちはSureFireのフラッシュライトを守っています。そのため、SureFireのフラッシュライトはお客様が最も必要とするときにお客様を守ることができます。当社のアルミニウムモデルは耐久性の向上と耐腐食性の強化のため、軍用規格Type III硬質アルマイト処理を施されており、どのフラッシュライトのボディも水濡れ防止のためオーリングとガスケットで密封されています。内部では電子装置をコンフォーマルコーティングで保護し、湿気からの保護を強化しています。

- SureFire独自のTotal Internal Reflection（TIR）レンズモデルは、遠距離照射光とフラッドライトを最適に併用しているため、見る必要のあるものをはっきり見ることができます。これらの精密光学部品は最大限のルーメン効率を提供し、同じサイズのリフレクターでは不可能な範囲までほとんどの光を照射します。TIRは照射した光の残余を含む円錐形の周辺光で、離れた場所にある重要なターゲットを照らします。

- 当社が特許取得済みのMaxVision Beam®モデルは、近・中距離での使用に最適な光を作り出します。その非常にスムーズでシームレスに広範囲を照らす光の壁は、視界全体に対する人間の視覚的反応に対応しており、状況認識を最大限に維持するのに理想的です。

- SureFireのParabolic Reflectorモデルは、光が乏しい状況でもよりよく見えるように十分なスローとスピルを実現します。これらのリフレクターはムラのない明瞭な光線を提供するため、重要なターゲットをはっきりと照らしながら、十分な周辺光で状況認識の維持を可能にします。

- SureFireの携帯用フラッシュライトではさまざまな電池オプションが利用可能です。Dual Fuel、123Aリチウム（使い捨て）電池、AAAニッケル水素充電式電池のほか、手軽に充電できるリチウムポリマー電池があります。

- SureFireの携帯用ライトはすべて当社のNo-Hassle Guaranteeによる保証付きです。

STILETTO®

PART #	UPC	DESCRIPTION
PLR-A	084871326940	MULTI-OUTPUT RECHARGEABLE POCKET LED POLYMER FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 250 / 650	30 / 2 / 1.75	1,530	2.8 oz (79 g)	4.45 in (11.3 cm)	0.8 in (2.03 cm)	Lithium Polymer

1 PRIMARY SWITCH
micro USBアダプター(充電ケーブル付属)で、さまざまな電源から簡単に充電できます。

2 TACTICAL SWITCH
押すと一時的に高出力になります。すばやく3回押し、ボタンを押し続けるとストロボが点灯します。

3 RECHARGEABLE
さまざまな電源から簡単に充電できるMICRO-USBアダプター(充電ケーブルが付属)

4 PROGRAMMING
Stilettoのアクティベーションスイッチとタクティカルスイッチ、要件ごとに切り替え可能。

5 POLYMER BODY
スマートでスリムで丈夫なStilettoはほとんどのポケットで邪魔になりません。

6 POCKET CLIP
しっかりしたスチール製のクリップがStilettoをポケットや帽子のつばで安定させます。

EIB BACKUP®

PART #	UPC	DESCRIPTION
EIB-MV	084871326162	COMPACT DUAL-OUTPUT POCKET LED FLASHLIGHT NSN 6230-01-682-7257

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 400	50 / 1.25	1,865	2.95 oz (83.6 g)	3.9 in (9.9 cm)	1.13 in (2.8 cm)	(1) 123A

TACTICIAN®

PART #	UPC	DESCRIPTION
E2T-MV	084871326971	DUAL-OUTPUT POCKET LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 800	1.5 / 94	3,200	3.5 oz (99 g)	5.0 in (12.7 cm)	1.0 in (2.54 cm)	(2) 123A

EDCL1-T

PART #	UPC	DESCRIPTION
EDCL1-T	084871326841	DUAL-OUTPUT EVERYDAY CARRY POCKET LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 500	1 / 45	7,600	3.3 oz (95 g)	4.5 in (11.43 cm)	1.125 in (2.85 cm)	(1) 123A

EDCL2-T

PART #	UPC	DESCRIPTION
EDCL2-T	084871326858	DUAL-OUTPUT EVERYDAY CARRY POCKET LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 1,200	1 / 60	11,300	4.1 oz (118 g)	5.84 in (14.8 cm)	1.125 in (2.85 cm)	(2) 123A

STILETTO® PRO

PART #	UPC	DESCRIPTION
PLR-B	084871328814	MULTI-OUTPUT RECHARGEABLE POCKET LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
25 / 300 / 1,000	23.5 / 1.5 / 1	5,100	4.0 oz (113 g)	4.5 in (11.4 cm)	0.87 in (2.2 cm)	Lithium Polymer

ALL ALUMINUM CONSTRUCTION

REVERSIBLE POCKET CLIP
新しいStiletto Proのポケットクリップは、ベゼルアップ、ベゼルダウンに付け替え可能。

E2D DEFENDER®

PART #	UPC	DESCRIPTION
E2DLU-A	084871321242	DUAL-OUTPUT POCKET LED FLASHLIGHT NSN 6230-01-632-3134

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 1,000	2.75 / 63	10,600	4.2 oz (119 g)	5.6 in (14.2 cm)	1.125 in (2.85 cm)	(2) 123A

STRIKE BEZEL
銃眼付きのStrike Bezel®により防衛能力が与えられます。

TIR LENS
Defenderで使用するTotal Internal Reflectorレンズは、中心部に集束して長距離に照射する光線を生み出すだけでなく、周辺視野に十分な周囲光をもたらします。

TIR

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

TITAN® PLUS

PART #	UPC	DESCRIPTION
TITAN-B	084871324847	ULTRA-COMPACT TRIPLE-OUTPUT LED FLASHLIGHT

MULTIPLE SETTING

ベゼルを回すと、読書などに適した15ルーメンの光が照射され、1秒以内にもう1度回すと中出力の光が、さらにもう1度回すと高出力の光が照射されます。

DURABLE CONSTRUCTION

非常に頑丈なTitan Plusは、耐久性のあるニッケルメッキの真鍮で構成された唯一のSureFireフラッシュライトです。

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 75 / 300	7 / 2 / 1	1,100	2.0 oz (58 g)	3.375 in (8.6 cm)	0.58 in (1.47 cm)	(1) AAA NiMH

VERSATILITY

Titan Plusにはポケットクリップとキーチェーンリングの両方が付属しています。

SIDEKICK®

PART #	UPC	DESCRIPTION
SIDEKICK-A	084871325417	ULTRA-COMPACT TRIPLE-OUTPUT LED RECHARGEABLE FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL	BATTERIES
300 / 60 / 5	1.25 / 4 / 45	1,100	1.2 oz (34 g)	2.5 in (6.35 cm)	0.58 in (1.47 cm)	Lithium Polymer Rechargeable

SIDEKICK® ACCESSORIES

PART #	UPC	DESCRIPTION
Z87	084871326520	BELT CLIP FOR SIDEKICK, STAINLESS STEEL
V94	084871326186	HEADBAND, ELASTIC & ADJUSTABLE FOR SIDEKICK SERIES LIGHTS
LIGHTKEEPER-A	084871325820	LANYARD WITH AUTOMATIC RETURN, BULLDOG CLIP WITH 24" CORD

Z87
POCKET CLIP

V94
HEADLAMP STRAP

LIGHTKEEPER-A™
RETRACTABLE CORD

GUARDIAN®

PART #	UPC	DESCRIPTION
DBR	084871326582	RECHARGEABLE ULTRA-HIGH DUAL-BEAM LED FLASHLIGHT

REF MVB 2 BEAM PATTERNS

19mm口径の放物面リフレクターは長距離ビジョンを提供し、12mm口径のMaxVisionBeam®は、優れた至近距離照明のための広くシームレスなビームを提供します。

INTELLIBEAM®

自動調整テクノロジーが環境を読み取り、出力を即座に最適化します。

LENS	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL	BATTERIES
19mm	800 / 250 / 15	2.75 / 4.25 / 60	12,900	4.7 oz (133 g)	4.35 in (11.0 cm)	1.15 in	Lithium Polymer Rechargeable
12mm	1,000 / 300 / 15	2.5 / 4.25 / 62				0.9 in	

V95 HOLSTER

PART #	UPC	DESCRIPTION
V95	084871326193	NYLON BELT HOLSTER FOR DBR GUARDIAN

V95
GUARDIAN HOLSTER

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

G2X TACTICAL / LE / PRO

PART #	UPC	DESCRIPTION
G2X-C-BK	084871320313	SINGLE-OUTPUT LED POLYMER FLASHLIGHT - HIGH OUTPUT ONLY
G2X-D-BK	084871320351	DUAL-OUTPUT LED POLYMER FLASHLIGHT - LOW/HIGH OUTPUT NSN 6230-01-617-9616
G2X-D-FG	084871320368	DUAL-OUTPUT LED POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2X-D-TN	084871320375	DUAL-OUTPUT LED POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2X-D-YL	084871320382	DUAL-OUTPUT LED POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2XLE-BK	084871324892	DUAL-OUTPUT LED POLYMER FLASHLIGHT - HIGH/LOW OUTPUT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 600	1.5 / 52	8,700	4.4 oz (125 g)	5.2 in (13.2 cm)	1.25 in (3.2 cm)	(2) 123A

G2X-C-BK / G2X-D-BK / G2XLE-BK

G2X-D-FG

G2X-D-TN

G2X-D-YL

FLASHLIGHT HOLSTER

PART #	UPC	DESCRIPTION
V70	084871842709	SPEED HOLSTER, BLACK PLASTIC, FOR 6PX, G2X & PIR NSN 6230-01-523-6437
V70-TN	084871842730	SPEED HOLSTER, TAN PLASTIC, FOR 6PX, G2X & PIR NSN 8465-01-532-4188

6PX TACTICAL / 6PX PRO

PART #	UPC	DESCRIPTION
6PX-C-BK	084871320283	SINGLE-OUTPUT LED FLASHLIGHT - HIGH OUTPUT ONLY NSN 6230-01-623-4223
6PX-D-BK	084871320290	DUAL-OUTPUT LED FLASHLIGHT - LOW/HIGH OUTPUT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 600	1.5 / 52	8,700	5.2 oz (147 g)	5.2 in (13.2 cm)	1.25 in (3.175 cm)	(2) 123A

G2X MV

PART #	UPC	DESCRIPTION
G2X-MV	084871326889	DUAL-OUTPUT LED POLYMER FLASHLIGHT - LOW/HIGH OUTPUT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 800	1.5 / 52	3,307	3.9 oz (110 g)	4.87 in (12.3 cm)	1.1 in (2.8 cm)	(2) 123A

G2Z MV COMBATLIGHT

PART #	UPC	DESCRIPTION
G2Z-MV	084871326087	SINGLE-OUTPUT MAXVISION BEAM® LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
800	1.5	3,307	4.25 oz (120 g)	4.75 in (12 cm)	1.1 in (2.8 cm)	(2) 123A

G2ZX COMBATLIGHT

PART #	UPC	DESCRIPTION	
G2ZX-C-BK	084871320399	SINGLE-OUTPUT LED FLASHLIGHT	NSN 6230-01-532-3740

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
600	1.5	8,700	4.3 oz (121 g)	5.2 in (13.2 cm)	1.25 in (3.175 cm)	(2) 123A

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

DOMINATOR®

PART #	UPC	DESCRIPTION
UDR-A-BK	084871317450	RECHARGEABLE ULTRA-HIGH VARIABLE-OUTPUT LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL	BATTERIES
2,400 / 14	2.25 / 22.75	200,000	2.4 lb (108 kg)	11.6 in (29.5 cm)	3.0 in (7.7 cm)	(1) Lithium-ion / (12) 123A

1 REFLECTOR

Dominatorの実質的に破壊不能な制御付きLED発光体と大型パラボリックリフレクターは、細く、距離の長い光線を生み出し、素晴らしい長距離の視野を実現します。

2 ACTIVATION

Dominatorは、9段階の便利な出力レベルが瞬時に作動するだけでなく、戦術的ストロボやシステム停止設定も選べます。また3つのヘッドボタンを切り替えることで、間欠あるいは連続モード、また瞬時に最大の出力で作動するMaxBlast機能を設定できます。

3 DUAL FUEL

Dominatorは、通常使用時には再充電可能なリチウムイオン電池で作動できます。また、付属電池マガジンを利用し、使い捨て可能な123A電池12本で作動することもできます。

4 RECHARGEABLE

Dominatorは、国際的なアダプター（AC）あるいは車載充電器（DC）に接続可能な付属のウォール充電器を通じて簡単に充電できます。電池残量は、ゲージで簡単にモニタリングできます。

FURY® TACTICAL

PART #	UPC	DESCRIPTION
FURY-DFT	084871328865	DUAL FUEL TACTICAL LED FLASHLIGHT

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	1.5	25,200	6.5 oz (184 g)	5.6 in (14.2cm)	1.39 in (3.5cm)
(2) 123A	1,100	1.25	16,700			

RECHARGEABLE SF18650B BATTERY INCLUDED

FURY® INTELLIBEAM

PART #	UPC	DESCRIPTION
FURY-IB-DF	084871326957	AUTO-ADJUSTING DUAL FUEL LED FLASHLIGHT

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	up to 40	25,200	6.5 oz (184 g)	5.6 in (14.2cm)	1.39 in (3.5cm)
(2) 123A	1,100		16,700			

INTELLIBEAM®

自動調整テクノロジーが環境を読み取り、出力を即座に最適化し、実質的に無限の出力設定の利便性を提供します。

All performance claims tested to ANSI/NEMA FLI-2019 Standard.

AVIATOR®

PART #	UPC	DESCRIPTION
AVIATOR-RD	084871326292	MULTI-SPECTRUM DUAL-OUTPUT LED POCKET FLASHLIGHT NSN 6230-01-531-7033
AVIATOR-YG	084871326308	MULTI-SPECTRUM DUAL-OUTPUT LED POCKET FLASHLIGHT

LED COLOR	OUTPUT	RUNTIME	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
WHITE (All MODELS)	250 / 5	1.5 / 20.5	9,300	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A
RED	39 / 1	3 / 57	-	-	-	-	-
YELLOW-GREEN	39 / 3	12 / 58	-	-	-	-	-

AVIATOR-RD (RED)
- 夜間視力の低下を最小限に抑えます。
- 赤色光で読み取り可能な地形図に最適。
- コントラストを改善。

AVIATOR-YG (YELLOW-GREEN)
- 屋外で形状/輪郭をより適切に明確するのに役立ちます。
- 航空機のコックピットの照明とよく調和する補色。
- 眼精疲労を最小限に抑えます。

V1-B VAMPIRE®

PART #	UPC	DESCRIPTION
V1-B-BK	084871325356	MULTI-SPECTRUM DUAL-OUTPUT LED POCKET FLASHLIGHT NSN 6230-01-662-9886

LED	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
WHITE IR	250 / 5 100 / 5 mW	1.5 / 6 20.5 / 57	9,300	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A

V1-C VAMPIRE®

PART #	UPC	DESCRIPTION
V1-C-BK	084871326452	MULTI-SPECTRUM SINGLE-OUTPUT LED POCKET FLASHLIGHT

LED	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
RED IR	0.4 100	100 8.75	-	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A

FILTERS

PART #	UPC	DESCRIPTION
FM70	084871321846	FILTER ASSEMBLY FOR 1.125" OR 1" BEZELS. RED, BLUE, GREEN LENS INCLUDED
F04-A	084871320085	SLIP ON BEAMSHAPER FILTER, 1.125" BEZEL. FITS EXECUTIVE, OUTDOORSMAN SERIES
F07-A	084871324649	SLIP ON CLEAR PROTECTIVE COVER ASSY. 1.125" BEZEL. FITS X300U, X400U
F05	084871840057	SLIP ON RED FILTER ASSY, 1.0" BEZEL NSN 6230-01-525-3745
F06	084871840064	SLIP ON BLUE FILTER ASSY, 1.0" BEZEL
F26	084871840262	RED FILTER, TIPOFF, 1.25" BEZEL
F27	084871840279	BLUE FILTER, TIPOFF, 1.25" BEZEL

FM70

F05

F06

F26

F27

FLASHLIGHT WAND

PART #	UPC	DESCRIPTION
F28	084871840286	FLASHLIGHT WAND - RED - GPX/G2X

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

HANDS-FREE LIGHTS



KEEP YOUR OPTIONS OPEN

困難な作業を完遂するには両手が必要なこともあります。SureFireのヘッドランプと2211®WristLightがあれば、片手でフラッシュライトを持つ必要なく、所定の作業に集中することができます。SureFireのMaximus®とMinimus®のヘッドランプは、最高峰の山頂でも、最深の洞窟でも、あるいは私道での自動車の調整中でも、不可欠なサポートを提供します。法執行機関のプロフェッショナルから助言を得て開発された2211 WristLightは、ハンズフリー照明の革命的ツールです。SureFireのHelmetLightは主に軍用として設計されており、ほとんどすべての軍用ヘルメットに装着できます。

DID YOU KNOW?

- SureFireのMaximusとMinimusのヘッドランプ（および2211 WristLight）は、当社が特許取得済みのMaxVision Beam®リフレクターテクノロジーを使用しています。MaxVisionは視界全体をシームレスに照らします。最大限の状況認識が不可欠な近距離から中距離での使用に理想的です。
- 1ルーメンから最大1,000ルーメンまで簡単に出力を調節できるMaximusをお選びください。または、5ルーメンから300ルーメンまで13段階で出力を調節できるMinimusをお選びください。どちらでも、驚くほどムラのない、視覚的に満足できる円形のビームパターンが利用できます。
- MaximusとMinimusは使用中のどんな衝撃にも耐えられる丈夫なボディとともに、簡単に調節でき、長時間でも快適に着用可能なヘッドバンドが特徴です。
- SureFireの2211 WristLightはハンズフリー照明の独創的な選択肢です。両手で拳銃のグリップを握る際に利用できるよう法執行機関から助言を得て開発された製品で、終日でも移動中でも装着できる優れた緊急／作業照明としても利用できます。
- ユーザーが出力の連続切り替えをプログラムできるモデルか、プレスで最高出力の照射、プレスアンドホールドで低出力の照射ができるワンタッチ切り替えのモデルが選べます。左右両手対応のスイッチ、クオーツムーブメントの腕時計、実用性を高める回転ベゼル搭載モデルもあります。
- お客様独自のニーズに応えて、当社が提供する2211シリーズは付属のmicro USBケーブルで便利に充電できます。また電源を入れたまま電池を交換したい場合には、使い捨て123Aリチウム電池1本から電力を供給するモデルもあります。
- SureFireの丈夫なHelmetLightは、長年、世界中の軍隊で主力のヘルメットライトとして利用されてきました。近接作業で故障の心配のない光を供給します。またACH、LWH、MICH、PASGTをはじめとして、ほとんどすべてのヘルメットに対応しており、ヘルメットの設計変更は半永久的に必要ありません。
- SureFireのHelmetLightはどれも123Aリチウムイオン電池1本で作動します。5個＋1個のIFF（敵味方識別ビーコン）用赤外線発光ダイオードを搭載しており、複数の調光レベルで多様なスペクトルの光を照射します。
- SureFireのハンズフリーライトはすべて当社のNo-Hassle Guaranteeによる保証付きです。

MINIMUS®

PART #	UPC	DESCRIPTION
HS2-MV-A-BK	084871325943	VARIABLE-OUTPUT LED HEADLAMP

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	DIMENSIONS	BATTERIES
5-300	75 / 1.5	1,100	4.0 oz (113 g)	4.46 in x 1.65 in x 1.45 in	(1) 123A

MAXIMUS

PART #	UPC	DESCRIPTION	
HS3-A-BK	084871318204	ULTRA-HIGH VARIABLE-OUTPUT LED HEADLAMP	NSN 6230-01-622-0311

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	DIMENSIONS	BATTERIES
1-1,000	550 / 1.5	4,100	6.9 oz (195 g)	2.55 in x 4.24 in x 1.5 in	Lithium-ion rechargeable

2211SF

PART #	UPC	DESCRIPTION
2211-B-BK-SF	084871325929	VARIABLE-OUTPUT RECHARGEABLE LED WRISTLIGHT WATCH

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
300 / 60 / 15	1 / 4 / 13	1,100	3.75 oz (106 g)	2.36 in x 2.02 in x 1.03 in	(1) 123A

2211X & HEADSTRAP

PART #	UPC	DESCRIPTION
2211X-A-BK	084871323994	VARIABLE-OUTPUT 123A-POWERED LED WRISTLIGHT
2211-HEADSTRAP	084871325769	ACCESSORY HEADSTRAP FOR 2211 WRISTLIGHT PRODUCTS

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
300 / 60 / 15	1.5 / 7 / 13	1,100	3.5 oz (99 g)	1.3 in x 2.6 in x 1.8 in	(1) 123A

2211X HEADSTRAP

2211PLM

PART #	UPC	DESCRIPTION
2211-A-BK-PLM	084871325318	VARIABLE-OUTPUT RECHARGEABLE LED WRISTLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
300 / 60 / 15	1 / 4 / 13	1,100	3.5 oz (99 g)	2.23 in x 2.0 in x 1.25 in	Lithium Ion Battery

HL1 & ACCESSORIES

PART #	UPC	DESCRIPTION
HL1-A-BK	084871314916	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (WHITE / BLUE) NSN 6220-01-594-0581
HL1-A-TN	084871110464	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (WHITE / BLUE) NSN 6220-01-549-4174
HL1-A-TN CS	084871110471	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (WHITE / BLUE)
HL1-B-TN	084871110488	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (WHITE / IR) NSN 6220-01-549-4184
HL1-C-TN	084871110495	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (WHITE / RED) NSN 6220-01-549-4203
HL1-D-TN	084871110501	VARIABLE-OUTPUT MULTI-SPECTRUM LED - (YELLOW-GREEN / IR) NSN 6220-01-549-4218
ADPT-HL1-DC	084871325066	OPS CORE HELMET RAIL MOUNT
HLM-01-TN	084871316194	HELMET LIGHT RATCHET MOUNT
Z71	084871890717	MOUNTING CLIP NSN 6220-01-549-4288

LED COLOR	OUTPUT (LUMENS)	RUNTIME (HOURS)	WEIGHT	DIMENSIONS	BATTERIES
WHITE	1.4 / 5 / 13.2	48 / 28 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
YELLOW/GREEN	1.4 / 5 / 13.2	48 / 28 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
BLUE	0.3 / 0.8 / 2.5	96 / 48 / 20	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
RED	0.3 / 0.8 / 2.5	96 / 48 / 20	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
IR	2 / 10 / 30.5 mW	44 / 17 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
IR STROBE	1.7 mW	120	-	-	-

ADPT-HL1-DC

Z71

All performance claims tested to ANSI/NEMA FL1-2019 Standard.

BATTERIES

DEFINITIVE POWER

SureFireはタクティカル照明、サプレッサー、聴覚保護製品の市場だけでなく、電池市場のイノベーターでもあります。これまでよりもエネルギー密度が高くコンパクトなフラッシュライトを追求した結果、当社のフラッシュライトでは他に先駆けて123Aリチウム一次電池を採用し、また123A電池をさらに有用なものにすべく電池業界と協力しています。現在、当社はそれぞれのクラスで最高品質の電池を提供し続けています。

DID YOU KNOW?

- 安心して使用できる品質保持期間が10年間というSureFireの123Aリチウム一次電池は、このクラスのゴールドスタンダードです。内蔵の熱／故障保護機能が信頼性を高めます。SureFireの123Aリチウム一次電池は、それらが電力を供給するSureFire製品同様、高い信頼性を誇ります。
- SureFireの電池は安定した信頼できるパフォーマンスの点で、アルカリ電池よりも優れた電力密度と電圧保持性能があります。
- SureFireの電池は温度許容度が広く、気温の寒暖を問わずSureFire製品に確実に電力を供給します。
- SureFireのSF18650Bはそのクラスで最も信頼できる電池です。高性能で保護機能付きのこの3.6Vリチウムイオン電池は、内蔵のmicro USBポートを介して簡単に充電でき、経済的です。
- SureFireのSF18650B電池は互換性のある外付けの充電用クレードルでも充電可能です。
- SureFireのSFLFP123とSFLFP123-KITの充電キットは、123Aリチウム一次電池ユーザーに、充電という利便性を実現することで、123Aリチウム一次電池に代わる経済的なオプションを提供します。
- SFLFP123電池はSureFireの123A電池よりもエネルギー密度は低いですが、数百回の充電が可能なため経済的であり、さらに環境に優しいというメリットも生じます。
- SFLFP123-KIT SKUにはSFLFP123電池2本とmicro USB充電用クレードルがセットになっています。SFLFP123 SKUはSFLFP123電池2本のセットで、充電用クレードルは付属しません。
- SureFireのSC1スペアキャリアには、最大6本のSF123A電池またはSFLFP123電池と、P60／P90ランプパーツ1個を収納でき、大切なスペアを安全に保管できます。



123A

PART #	UPC	DESCRIPTION
SF2-CB	084871820141	2 123A CELLS, CARDED
SF6-BC	084871310901	6 123A CELLS (Must order in multiples of 6 units)
SF12A-BB CS	084871820196	12 123A CELLS, CLAMSHELL PACKAGE
SF12-BB	084871820134	12 123A CELLS, BOXED NSN 6135-01-559-9641
SF72-BB	084871820165	123A, 6 BOXES OF 12 CELLS
SF400-BULK	084871820240	123A BULK BOX, 400 CELLS
SF1200-BULK	084871820189	123A BULK BOX, 1,200 CELLS
SF38400-BULK	084871820233	123A BULK, 38,400 CELLS

SF12-BB

SF72-BB

SF2-CB

SF6-BC

SF12A-BB CS

SC1

PART #	UPC	DESCRIPTION
SC1	084871880046	SPARES CARRIER, HOLDS 6 123A CELLS AND ONE P60/P90 LAMP ASSEMBLY NSN 6240-01-532-4209

SFLFP123 & CHARGER KIT

PART #	UPC	DESCRIPTION
SFLFP123	084871329811	2 LITHIUM IRON PHOSPHATE RECHARGEABLE CELLS
SFLFP123-KIT	084871329828	2 LITHIUM IRON PHOSPHATE RECHARGEABLE CELLS & CHARGER

SFLFP123

SFLFP123-KIT

SF18650B

PART #	UPC	DESCRIPTION
SF18650B	084871328050	LITHIUM ION RECHARGEABLE BATTERY

SUPPRESSORS & MUZZLE DEVICES

PROVEN TO BE THE BEST

SureFireのSOCOM Fast-Attach®サプレッサーは、米軍史上最も過酷なサプレッサー試験において、他の競合製品をすべて打ち負かし、米特殊作戦軍（SOCOM）に選ばれました。このサプレッサーは実戦で性能が証明されており、コンパクトかつ軽量でありながら、比類ない耐久性を提供し、着弾点のズレを最小限に留め、安定した着弾を実現し、発射炎をほぼ抑え、発射音を弱めます。当社のWARCOMP™、フラッシュハイダー、マズルブレーキは、それぞれのクラスで他のどの製品よりも優れた、誰もが認める最高の製品です。SureFireのサプレッサー、マズル装置、訓練用器具は、100%米国でデザイン、設計、製造されています。

DID YOU KNOW?

+ SureFireのサプレッサーにはその価格に見合った価値があります。最新の素材、二重溶接、先進のエンジニアリングを採用し、過酷な戦闘による衝撃に耐えるように製造されています。SureFireのサプレッサーは耐用寿命が数万回を超え、地球上で最も高い耐久性と信頼性を誇ります。

+ サプレッサーによって射撃術が損なわれるとしたら、何もいいことはありません。SureFireのどのサプレッサーも、着脱を繰り返しても厳しい精度基準を維持します。当社ではすべてのSOCOM Fast-Attachサプレッサーで試射を行い、最小限で極度に安定した1MOA（MOA＝60分の1度）以下の着弾点のズレとグループサイズを確認しています。

+ 当社が特許取得済みのFast-Attachの取り付けシステムによるしっかりとした取り付けと容易な取り外しには、他のツールが必要ありません。1秒以内の着脱が可能で、いったん取り付ければ、射撃回数に関係なく取り付けたままでいられます。

+ SureFireのSOCOMサプレッサーが実現する優れた消音機能は、聴覚保護の有効性を高めます。射撃場では、射撃手がベテランであれ初心者であれ、そのストレスを軽減します。戦闘状態で、命を救うために危険な場所に向かう軍隊や法執行機関の職員にとっても同様です。

+ SureFireのSOCOMサプレッサーは銃声を抑えるだけでなく、1発目の発射炎をほぼ無くし、ちりやほこりの痕跡を大きく減らすことで、射撃手の位置を実質的に探知不可能にするのに役立ちます。そのため、戦闘地域で射撃チームの位置を隠しながら、チームの確認とコミュニケーションを容易にします。

+ SureFireのSF® RYDERのスレッドオンサプレッサーは、フルオート対応の9ミリ、.22口径のハンドガン、カービン銃、ライフルに最適です。軽量で目立たず、優れた消音機能を提供し、射撃手がいつでもどこでも安定した精度を維持するのに役立ちます。

+ SureFireのWARCOMPは世界で最も射撃に適したフラッシュハイダーで、発射炎を98%抑制し、発射時の銃口の跳ね上がりを低減するため、射撃手はターゲットに照準を合わせたまま、より迅速に追跡射撃をすることが可能になります。

+ SureFireのSF3Pフラッシュハイダーや SFMBマズルブレーキは、この種の中で最高の製品です。取り付ける銃身を長持ちさせるように設計し、米軍認証のステンレススチール棒を用いて精密に製造し、熱処理とDLCコーティングを施すことにより、優れた耐久性と耐腐食性を実現しています。SureFireのSOCOMサプレッサーにスムーズに取り付けられます。

+ SureFireのBlank Firing Adapterは軍隊と法執行機関のニーズを超えています。SF-BFA-556とSF-BFA-762は相当するSureFireのサプレッサーを入念に再現しており、訓練体験の臨場感を高めます。

+ SureFireのBlank Safety Deviceは射撃手や他の人たちを傷つけることなく、最大3発までM855弾を安全に装填することができ、銃器訓練の間、不可欠な安全性を提供します。

+ SureFireのBlank Firing Adapter、Blank Safety Device、Suppressor Trainerは、どれも何のツールも必要なく、すばやく安全に着脱できるFast-Attachシステムが特徴です。

+ SureFireのサプレッサーとマズル装置はすべて当社のNo-Hassle Guaranteeによる保証付きです。

SUREFIRE FAST ATTACH® SYSTEM

FAST-ATTACH®

特許取得済み、ツールを必要としないFast-Attachサプレッサー装着設計により、迅速かつ簡単にサプレッサーを着脱できます。

SLIDE SUPPRESSOR OVER ADAPTER

TIGHTEN LOCKING RING

SOCOM556-RC2

PART #	UPC	DESCRIPTION
SOCOM556-RC2-BK	084871324564	BLACK, FOR 10" OR LONGER BARRELS NSN 1005-01-668-4190
SOCOM556-RC2-DE	084871324571	DARK EARTH, FOR 10" OR LONGER BARRELS NSN 1005-01-681-5089

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM556-MINI2

PART #	UPC	DESCRIPTION
SOCOM556-MINI2-BK	084871324465	BLACK, OPTIMIZED FOR 14.5" OR LONGER BARRELS
SOCOM556-MINI2-DE	084871324472	DARK EARTH, OPTIMIZED FOR 14.5" OR LONGER BARRELS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	15 oz (425 g)	5.0 in (12.7 cm)	HIGH-TEMP ALLOY & SS

SOCOM556-SB2

PART #	UPC	DESCRIPTION
SOCOM556-SB2-BK	084871324489	BLACK, FOR 10" OR SHORTER BARRELS NSN 1005-01-675-0311
SOCOM556-SB2-DE	084871324496	DARK EARTH, FOR 10" OR SHORTER BARRELS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM556-MG2

PART #	UPC	DESCRIPTION
SOCOM556-MG2-BK	084871331005	BLACK, OPTIMIZED FOR BELT-FED MACHINE GUNS
SOCOM556-MG2-DE	084871331012	DARK EARTH, OPTIMIZED FOR BELT-FED MACHINE GUNS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	23 oz (652 g)	6.9" (17.5 cm)	HIGH-TEMP ALLOY & SS

SOCOM762-Ti

PART #	UPC	DESCRIPTION
SOCOM762-Ti-BK	084871329699	BLACK, FOR BOLT-ACTION PRECISION RIFLES
SOCOM762-Ti-DE	084871329705	DARK EARTH, FOR BOLT-ACTION PRECISION RIFLES

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	11.0 oz (312 g)	7.9 in (20.1 cm)	TITANIUM

SOCOM762-MG2

PART #	UPC	DESCRIPTION
SOCOM762-MG2-BK	084871331029	BLACK, OPTIMIZED FOR BELT-FED MACHINE GUNS
SOCOM762-MG2-DE	084871331036	DARK EARTH, OPTIMIZED FOR BELT-FED MACHINE GUNS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	29 oz (822 g)	9.3 in (23.6 cm)	HIGH-TEMP ALLOY & SS

SOCOM762-RC2

PART #	UPC	DESCRIPTION
SOCOM762-RC2-BK	084871324502	BLACK, FOR 7.62 SELECT FIRE & .300 WM SNIPER RIFLES
SOCOM762-RC2-DE	084871324519	DARK EARTH, FOR 7.62 SELECT FIRE & .300 WM SNIPER RIFLES

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	21 oz (595 g)	8.4 in (21.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM762-MINI2

PART #	UPC	DESCRIPTION
SOCOM762-MINI2-BK	084871324526	BLACK, OPTIMIZED FOR 16" OR LONGER BARRELS
SOCOM762-MINI2-DE	084871324533	DARK EARTH, OPTIMIZED FOR 16" OR LONGER BARRELS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM300-CQB

PART #	UPC	DESCRIPTION
SOCOM300-CQB-BK	084871330848	BLACK, OPTIMIZED FOR BLACKOUT CQB
SOCOM300-CQB-DE	084871330855	DARK EARTH, OPTIMIZED FOR BLACKOUT CQB

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM300-SPS

PART #	UPC	DESCRIPTION
SOCOM300-SPS-BK	084871324540	BLACK, OPTIMIZED FOR .300 BLK WEAPON SYSTEMS
SOCOM300-SPS-DE	084871324557	DARK EARTH, OPTIMIZED FOR .300 BLK WEAPON SYSTEMS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	20 oz (566 g)	7.9 in (20.0 cm)	HIGH-TEMP ALLOY & SS

SOCOM65-RC2

PART #	UPC	DESCRIPTION
SOCOM65-RC2-BK	084871329651	BLACK, FOR SEMI-AUTO WEAPON SYSTEMS
SOCOM65-RC2-DE	084871329668	DARK EARTH, FOR SEMI-AUTO WEAPON SYSTEMS

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
6 mm / 6.5 mm / .260 Cal	21.0 oz (595 g)	8.4 in (21.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM65-Ti

PART #	UPC	DESCRIPTION
SOCOM65-Ti-BK	084871329675	BLACK, FOR BOLT-ACTION PRECISION RIFLES
SOCOM65-Ti-DE	084871329682	DARK EARTH, FOR BOLT-ACTION PRECISION RIFLES

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
6 mm / 6.5 mm / .260 Cal	11.0 oz (312 g)	7.9 in (20.1 cm)	TITANIUM

SOCOM338-Ti

PART #	UPC	DESCRIPTION
SOCOM338-Ti-BK	084871324137	BLACK, FOR BOLT-ACTION PRECISION RIFLES
SOCOM338-Ti-DE	084871324144	DARK EARTH, FOR BOLT-ACTION PRECISION RIFLES

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
.338 Cal	22.0 oz (623 g)	9.9 in (25.1 cm)	TITANIUM

SOCOM408-ELR

PART #	UPC	DESCRIPTION
SOCOM408-ELR-BK	084871329620	BLACK, FOR .375 & .408 ELR BOLT-ACTION RIFLES
SOCOM408-ELR-DE	084871329637	DARK EARTH, FOR .375 & .408 ELR BOLT-ACTION RIFLES

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
.408 / .375 Cal	22.0 oz (623 g)	9.9 in (25.1 cm)	TITANIUM

SOCOM50-SPS

PART #	UPC	DESCRIPTION
SOCOM50-SPS-BK	084871328791	BLACK, FOR .50 BMG BOLT-ACTION / SEMI-AUTO
SOCOM50-SPS-DE	084871328807	DARK EARTH, FOR .50 BMG BOLT-ACTION / SEMI-AUTO

CALIBER	WEIGHT	LENGTH	CONSTRUCTION
.50 Cal	86 oz (2438 g)	14.4 in (36.6 cm)	STAINLESS STEEL

BORE ALIGNMENT RODS

PART #	UPC	DESCRIPTION
SF-ROD-9	084871330343	BORE ALIGNMENT ROD FOR 9 MM
SF-ROD-545	084871330336	BORE ALIGNMENT ROD FOR 5.45 MM
SF-ROD-556	084871325875	BORE ALIGNMENT ROD FOR 5.56 MM
SF-ROD-65	084871325899	BORE ALIGNMENT ROD FOR 6.5 MM
SF-ROD-68	084871325905	BORE ALIGNMENT ROD FOR 6.8 MM
SF-ROD-762	084871325882	BORE ALIGNMENT ROD FOR 7.62 MM
SF-ROD-338	084871325912	BORE ALIGNMENT ROD FOR .338 CALIBER
SF-ROD-375	084871330305	BORE ALIGNMENT ROD FOR .375 CALIBER
SF-ROD-408	084871330312	BORE ALIGNMENT ROD FOR .408 CALIBER
SF-ROD-50	084871330329	BORE ALIGNMENT ROD FOR .50 CALIBER



PROPER ALIGNMENT

OUT OF ALIGNMENT

SF-TRAINER

PART #	UPC	DESCRIPTION
SF-TRAINER-556-I-BK	084871326360	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-556-I-DE	084871326377	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO NSN 1005-01-682-2626
SF-TRAINER-762-I-BK	084871326384	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-762-I-DE	084871326391	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-762MG-BK	084871327817	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-762MG-DE	084871327824	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO

SF-BFA

PART #	UPC	DESCRIPTION
SF-BFA-556	084871319706	BLANK FIRING ADAPTER, FITS ALL SOCOM 5.56 ADAPTERS NSN 1005-01-608-7572
SF-BFA-762	084871319713	BLANK FIRING ADAPTER, FITS ALL SOCOM 7.62 ADAPTERS NSN 1005-01-608-7566

SF-BFA-556-MK46

PART #	UPC	DESCRIPTION
SF-BFA-556-MK46	084871328852	BLANK FIRING ADAPTER, FOR USE WITH MK46 WEAPON SYSTEMS

SF-BFA-762MG-M240

PART #	UPC	DESCRIPTION
SF-BFA-762MG-M240	084871327923	BLANK FIRING ADAPTER, FOR USE WITH M240B WEAPON SYSTEMS

SF-BSD

PART #	UPC	DESCRIPTION
SF-BSD-556	084871323758	BLANK SAFETY DEVICE, FOR USE WITH MK18
SF-BSD-556-M4	084871326216	BLANK SAFETY DEVICE, FOR USE WITH M4 NSN 1005-01-660-6656

SF-BSD-556

SF-BSD-556-M4

SF® RYDER 9-Ti2

PART #	UPC	DESCRIPTION
SF RYDER 9-Ti2-1/2-28-BK	084871328500	THREAD-ON 9 MM CALIBER TITANIUM SUPPRESSOR
SF RYDER 9-Ti2-1/2-28-DE	084871328517	THREAD-ON 9 MM CALIBER TITANIUM SUPPRESSOR
SF RYDER 9-Ti2-M13.5X1 LH-BK	084871328524	THREAD-ON 9 MM CALIBER TITANIUM SUPPRESSOR

CALIBER	WEIGHT	LENGTH
9 mm	10 oz (283 g)	7.8 in (19.8 cm)

SF® RYDER 9M-Ti

PART #	UPC	DESCRIPTION
SF RYDER 9M-Ti-1/2-28-BK	084871325660	THREAD-ON 9 MM CALIBER MODULAR SUPPRESSOR
SF RYDER 9M-Ti-1/2-28-DE	084871325677	THREAD-ON 9 MM CALIBER MODULAR SUPPRESSOR
SF RYDER 9M-Ti-M13.5X1 LH-BK	084871325691	THREAD-ON 9 MM CALIBER MODULAR SUPPRESSOR
SF RYDER 9M-Ti-M13.5X1 LH-DE	084871325707	THREAD-ON 9 MM CALIBER MODULAR SUPPRESSOR

CALIBER	WEIGHT	LENGTH
9 mm	9 / 11 oz (255 / 311 g)	5.9 / 7.9 in (14.9 / 20 cm)

SF® RYDER 9-MP5

PART #	UPC	DESCRIPTION
SF RYDER 9-MP5	084871326070	9 MM CALIBER SUPPRESSOR W/ TRI-LUG ATTACHMENT FOR H&K MP5 SMG

CALIBER	WEIGHT	LENGTH
9 mm	16 oz (453 g)	8 in (20.3 cm)

SF® RYDER 22-S

PART #	UPC	DESCRIPTION
SF RYDER 22-S	084871318679	THREAD-ON SOUND SUPPRESSOR, 1/2-28 THREADED BARRELS

CALIBER	WEIGHT	LENGTH
.22 LR/.17 HMR/.22 WMR	5 oz (141 g)	5.4 in (13.7 cm)

RYDER ACCESSORIES

PART #	UPC	DESCRIPTION
PISTON-9-1/2X28	084871325561	PISTON FOR SF RYDER 9-T1 & 9M-T1
PISTON-9-M13.5X1LH	084871325578	PISTON FOR SF RYDER 9-T1 & 9M-T1
PISTON-9Ti2-1/2-28	084871330244	PISTON FOR SF RYDER 9-TI2
PISTON-9Ti2-M13.5X1 LH	084871330251	PISTON FOR SF RYDER 9-TI2
SF-SPCR-9	084871326179	CARBINE SPACER FOR RYDER 9T1 AND RYDER 9M-T1
SF-SPCR-9-Ti2	084871330268	CARBINE SPACER FOR RYDER 9TI2
SF-TRILUG9-1/2-28	084871330206	TRI-LUG ADAPTER FOR 1/2-28 THREAD, SF RYDER 9-MP5
SF-TRILUG9-1/2-36	084871330213	TRI-LUG ADAPTER FOR 1/2-36 THREAD, SF RYDER 9-MP5
SF-TRILUG9-M13.5X1LH	084871330220	TRI-LUG ADAPTER FOR M13.5X1LH THREAD, SF RYDER 9-MP5

PISTON-9TI2

SF-SPCR-9-TI2

SF-TRILUG9

SF3P

PART #	UPC	DESCRIPTION
SF3P-556-1/2-28	084871319119	3 PRONG FLASH HIDER FOR M4/M16/AR VARIANTS NSN 1005-01-626-8770
SF3P-556-MK46	084871319126	3 PRONG FLASH HIDER FOR Mk46 WEAPON NSN 1005-01-618-3966
SF3P-65-5/8-24	084871329712	3 PRONG FLASH HIDER FOR 6MM/6.5MM/260 PRECISION RIFLES
SF3P-762-5/8-24	084871319171	3 PRONG FLASH HIDER FOR AR10/LR308
SF3P-762MG-M240	084871319959	3 PRONG FLASH HIDER FOR M240 NSN 1005-01-618-3950

OPEN-TINE

露出した銃口に比べて発射炎をおよそ98%抑え、射撃手の位置を隠し、暗闇に慣れた視覚を維持します。

SF3P-50BMG-M2HB

PART #	UPC	DESCRIPTION
SF3P-50BMG-M2HB	084871327374	3 PRONG FLASH HIDER FOR M2HB, FOR UNTHREADED BARREL

CALIBER	WEIGHT	LENGTH
.50 cal	36 oz (1020 g)	6.1 in (15.5 cm)

SFCT

PART #	UPC	DESCRIPTION
SFCT-556-1/2-28	084871325103	CLOSED TINE FLASH HIDER FOR M4/M16/AR VARIANTS

3P ELIMINATOR

PART #	UPC	DESCRIPTION
3P-ELIMINATOR-556-1/2-28	084871323505	3 PRONG FLASH HIDER FOR M4/M16/AR VARIANTS & 1/2-28 THREADS
3P-ELIMINATOR-762-5/8-24	084871324380	3 PRONG FLASH HIDER FOR 7.62 CALIBER & 5/8-24 THREAD

SF3P-50BMG-M2A1

PART #	UPC	DESCRIPTION
SF3P-50BMG-M2A1	084871329590	3 PRONG FLASH HIDER FOR M2A1, .50 CALIBER, THREADED BARREL

CALIBER	WEIGHT	LENGTH
.50 cal	23.8 oz (674.7 g)	4.9 in (12.4 cm)

SFMB

PART #	UPC	DESCRIPTION
SFMB-556-1/2-28	084871319256	MUZZLE BRAKE/ADAPTER FOR 5.56 CALIBER NSN 1005-01-668-7486
SFMB-65-5/8-24	084871329729	MUZZLE BRAKE/ADAPTER FOR 6MM/6.5MM/260 PRECISION RIFLES
SFMB-762-5/8-24	084871319263	MUZZLE BRAKE/ADAPTER FOR AR10/LR308 NSN 1005-01-624-1219
SFMB-338-3/4-24	084871324175	MUZZLE BRAKE/ADAPTER FOR .338 CALIBER
SFMB-338-5/8-24	084871324182	MUZZLE BRAKE/ADAPTER FOR .338 CALIBER
SFMB-338-M18X1	084871324168	MUZZLE BRAKE/ADAPTER - SAKO TRG-42 / STEYR SSG-08 / BLAUSER
SFMB-338-M18X1.5	084871324151	MUZZLE BRAKE/ADAPTER FOR AIAW / AIAX
SFMB-408-M22X1.5	084871329750	MUZZLE BRAKE/ADAPTER FOR .408 AND .375 CALIBER
SFMB-408-3/4-24	084871330190	MUZZLE BRAKE/ADAPTER FOR .408 AND .375 CALIBER

ACCURACY

SureFireのImpulse Diffusion設計は、側面からの噴流と後部への衝撃を最小限に抑えます。これにより、標的の追跡が容易になるだけでなく、射撃後に迅速にリカバリーし次の銃弾を発射することができます。

SFMB-50

PART #	UPC	DESCRIPTION
SFMB-50-HTI	084871328920	MUZZLE BRAKE FOR DESERT TECH HTI, M25X1.5 THREAD
SFMB-50-MI07	084871328838	MUZZLE BRAKE FOR BARRETT MI07, 7/8X14 THREAD
SFMB-50-TAC50	084871328845	MUZZLE BRAKE FOR MCMILLAN TAC50, 1X14 THREAD

WEIGHT	LENGTH
5.2 oz (147 g)	5.2 in (13.2 cm)

PROCOMP

PART #	UPC	DESCRIPTION
PROCOMP-556-1/2-28	084871323512	MUZZLE BRAKE (NON-SOCOM ADAPTER) FOR M4/M16/AR VARIANTS
PROCOMP-762-5/8-24	084871323741	MUZZLE BRAKE (NON-SOCOM ADAPTER) FOR 7.62 CALIBER

ADAPTER CARBON SCRAPING TOOL

PART #	UPC	DESCRIPTION
SF-ACST-556	084871326506	SUREFIRE CLEANING TOOL FOR 5.56 SF3P, SFMB, & WARCOMP ADAPTERS NSN 5110-01-682-2653
SF-ACST-762	084871326513	SUREFIRE CLEANING TOOL FOR 7.62 SF3P, SFMB, & WARCOMP ADAPTERS

WARCOMP™

PART #	UPC	DESCRIPTION
WARCOMP-556-1/2-28	084871324625	PORTED 3 PRONG FLASH HIDER FOR M4/M16/AR VARIANTS NSN 1005-01-646-9074
WARCOMP-556-M15X1	084871325530	PORTED 3 PRONG FLASH HIDER FOR HK G36C
WARCOMP-65-5/8-24	084871329736	PORTED 3 PRONG FLASH HIDER FOR 6MM/6.5MM/.260 CAL
WARCOMP-762-5/8-24	084871324632	PORTED 3 PRONG FLASH HIDER FOR 7.62 CALIBER
WARCOMP-762-AK47	084871325141	PORTED 3 PRONG FLASH HIDER FOR AK47
WARCOMP-762-M15X1	084871325950	PORTED 3 PRONG FLASH HIDER FOR HK417

VARIABLE TIMING

右手、左手、ニュートラルでの安定感を最適化するように方向を調整できます。

OPEN-TINE

露出した銃口に比べて発射炎をおよそ98%抑え、射撃手の位置を隠し、暗闇に慣れた視覚を維持します。

SOCOM FAST-ATTACH® COMPATIBLE

SureFireのSOCOM Fast-Attachシステムにより、SOCOM Fast-Attachサプレッサーにしっかり取り付けることができます。

ACCURACY

SureFireのImpulse Diffusion設計は噴流と後部への衝撃を最小限に抑えることで、ターゲットの追跡をより容易にするとともに、射撃のリカバリー時間を短縮します。

STRONG & DURABLE

WARCOMPは、米軍認証を受けた熱処理済みステンレススチール棒を精密製造し、最高の耐用性と耐食性を確保するためにDLC（ダイヤモンドライクカーボン）によりコーティングされています。

TOUGH AS NAILS

WARCOMP CTNは、米軍の認証を受けたステンレススチール棒とDLCコーティングで、驚異的な耐用性と耐食性を実現し、長期にわたる使用が可能です。

WARCOMP™ CTN

PART #	UPC	DESCRIPTION
WARCOMP-556-CTN-1/2-28	084871325516	CLOSED TINE FLASH HIDER FOR M4/M16/AR VARIANTS

WEIGHT	LENGTH
2.7 oz (76.5 g)	2.4 in (6.0 cm)

CLOSED-TINE

戦場にある物体に銃口を引っ掛けてしまう可能性を大幅に減らしつつ、目に見える発射炎を軽減します。

REINFORCEMENT BAR CUTTER

PART #	UPC	DESCRIPTION
RBC-556-CTN-BK	084871326667	RBC FOR USE WITH SUREFIRE WARCOMP-556-CTN ADAPTERS NSN 1005-01-665-9417

WEIGHT	LENGTH
15 oz (425 g)	4.0 in (10.2 cm)

WEAPON COMPONENTS

GEAR UP FOR VICTORY

SureFireの武器パーツは、現代のスポーツ用ライフルの正確性と性能を高めます。SureFireのOptimized Bolt Carrier（OBC）は、サプレッサーなしの射撃でもありの射撃でも、武器の性能を強化します。Dueck Defense Rapid Transition Sightは最高の照準器で、射撃パフォーマンスを向上しつつライフルのレールへのスムーズな取り付けが可能になるように設計されています。SureFireのHigh-Capacity Magazineは再装弾を減らすことで、ターゲットや試合、戦闘に集中しやすくします。これらの製品は100%米国製です。

DID YOU KNOW?

+ OBCのロングストローク設計は、ストロークを60%伸ばしたことで、弾倉の装填時間を改善し、ボルトオーバーベースと呼ばれる誤作動を減らします。
+ デュアルスプリングのOBCの重量はボルトキャリアの方向変更を大きく遅らせるため、確実性を高めます。
+ OBCの改良カムパスはボルトのロック解除を遅らせてチャンバー圧を15%低減してから、ロックを解除します。
+ 自己潤滑性コーティングによって摩擦を低減し、最悪の条件下でも安定した確実なOBCの作動を実現します。
+ OBCシステムには、最適化されたボルトキャリア、緩衝バネ、独自のロングストローク高重量緩衝器を採用しています。
+ RTSは簡単に装着できます。ライフルの上部ピカティニーレールに45度のオフセット位置で直接取り付けられます。砲口からの高さは標準的なM4／M16A4照準器と同じです。特別なツールは必要ありません。右利き用、左利き用の製品があります。
+ RTSは耐久性を持つように製造されています。7075アルミ合金棒で製造されており、非常に軽量ですが、6061 T6アルミニウムの2倍の強度があります。
+ RTSの特徴である目立たないデザインは、ライフルの重要な光学装置の邪魔をせず、軍用の赤外レーザー／照明器に対応しています。フロントサイトはビームパスを塞がない設計です。
+ SureFireのHigh-Capacity Magazineには60発の弾丸を装填できます。標準的な弾倉の2倍の数で、必要な再装弾が半減します。弾倉の厚みは1.66"で、30発弾倉を2つ合わせたよりもスリムです。
+ SureFireのHigh-Capacity Magazineの設計は、スムーズな装填を実現するポリマー製フォロア、接合痕と破損の発生を防ぐカドミウムコーティングのスプリング、耐久性を最大限に高める丈夫な軍用規格硬質アルマイト処理アルミニウムでの製造が特徴です。
+ SureFireの武器パーツはすべて当社のNo-Hassle Guaranteeによる保証付きです。

SF-OBC

PART #	UPC	DESCRIPTION
SF-OBC-556	084871327367	OPTIMIZED BOLT CARRIER GROUP FOR M4/M16/AR-VARIANT RIFLE CARBINE

LONG-STROKE DESIGN

Delivers 60% more travel beyond the magazine, increasing magazine feed time and reducing the chance of bolt-over-base malfunctions

CAM PATH

Improved cam path delays bolt unlocking for a 15% decrease in chamber pressure before unlocking

DWELL WEIGHT

Dual-spring dwell weight significantly delays bolt carrier direction-change for increased reliability

COATING

Self-lubricating coatings reduce friction for consistent, dependable operation in the most adverse conditions

INCLUDED WITH OBC

Optimized bolt carrier, buffer spring and proprietary long-stroke, H-weight buffer 10/32" gas key screw provides more than double the shear strength of two Mil-Spec screws

RAPID TRANSITION SIGHTS

PART #	UPC	DESCRIPTION
DD-RTS-SET	084871316187	60-ROUND .223 REMINGTON/5.56 NATO AMMUNITION
DD-RTS-TRITIUM	084871322645	MOLLE POUCH FOR MAG5-60, COYOTE BROWN
DD-RTS-FO	084871322638	60-ROUND .223 REMINGTON/5.56 NATO AMMUNITION

DD-RTS-SET

60-ROUND MAGAZINE

PART #	UPC	DESCRIPTION
MAG5-60	084871315814	60-ROUND MAGAZINE FOR 5.56 MM RIFLES

HEARING PROTECTION

HEAR US NOW, HEAR US LATER

聴覚学者によって設計されたSureFireのEarPro® Sonic Defender®の聴覚保護製品は、騒音性難聴を防ぐ優れたテクノロジーを採用しています。可聴範囲にある音に対する最大限の保護を与えるフルブロック（完全遮断）タイプと、有害な騒音を抑えながら戦術的コミュニケーションや周囲の音の認識が可能なフィルタータイプの2種類から選べます。効果的で、快適で、耐久性があり、繰り返し使えるSureFireのEarPro Sonic Defenderは、戦術に関わるプロフェッショナルから工場作業員まで、高騒音環境下で働くすべての人にとって最高の選択肢になっています。

DID YOU KNOW?

+ Sonic Defenderは電力を使用しない聴覚保護製品として最も有効性が高い耳栓で、フィルターキャップのクローズ時には24dBから30dB、オープン時には11dBから14dBの騒音低減評価が確認されています。連続的な騒音と瞬間的な騒音の両方から保護します。

+ Sonic Defenderはカスタムメイドのような一日中快適なフィット感を実現します。ほとんど目立たず、イヤーマフ形式の聴覚保護製品のように、ライフル射撃時に頬を銃床に密着させる邪魔になりません。軽量で必要最低限度のデザインは、暑い日でも耳を涼しく保てます。

+ Sonic Defenderはぴったりはまるだけでなく、動きません。SureFireのEarLock®のリテンションリングは7つの「固定点」で耳栓を固定し、しっかりフィットして外耳道を塞ぎ保護します。SureFireの人間工学に基づき正確にカーブしたフランジか、取り替え可能なComply® Canalフォームチップを採用したモデルから選べます。

+ Sonic Defenderではユーザーのニーズに合わせてフルブロックタイプとフィルタータイプを選べます。Sonic Defenderのフィルターは有害な騒音を低減しながら、ユーザーに会話の認識を可能にします。キャップの開閉は簡単です。クローズ時には最大限の騒音低減評価を実現し、瞬間的な騒音を吸収します。

+ Sonic Defenderのカラーには Black、Orange、Clear があります。どのセットも便利なキャリーケース付きで、リテンションランヤードが付属しています。

+ SureFireのUniversal Acoustic Coupler（UAC）は高性能で高強度のインターフェースであり、最新の音響管に対応しているため、双方向ラジオ通信が可能です。2ポジションキャップにより、クローズ時には最大限の聴覚保護が、オープン時には周辺状況の認識が可能です。

EP10

PART #	UPC	DESCRIPTION
EP10-MPR	084871323284	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 1 PAIR, CLEAR
EP10-MPR-BULK	084871323291	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 25 PAIR, CLEAR
EP10-BK-MPR	084871323222	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP10-BK-MPR-BULK	084871323239	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 25 PAIR, BLACK
EP10-OR-MPR	084871323345	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 1 PAIR, ORANGE
EP10-OR-MPR-BULK	084871323352	COMPLY FOAM TIPPED, FULL BLOCK EARPLUGS, MEDIUM, 25 PAIR, ORANGE

NRR RATING	SNR RATING
30	33

EP5

PART #	UPC	DESCRIPTION
EP5-BK-MPR	084871317931	TRIPLE FLANGED, FULL BLOCK EARPLUGS, MEDIUM, 1 PAIR, BLACK NSN 6515-01-642-3319
EP5-BK-MPR-BULK	084871318020	TRIPLE FLANGED, FULL BLOCK EARPLUGS, MEDIUM, 25 PAIR, BLACK
EP5-OR-MPR	084871317962	TRIPLE FLANGED, FULL BLOCK EARPLUGS, MEDIUM, 1 PAIR, ORANGE
EP5-OR-MPR-BULK	084871318051	TRIPLE FLANGED, FULL BLOCK EARPLUGS, MEDIUM, 25 PAIR, ORANGE

NRR RATING	SNR RATING
26	31

FILTERED EARPRO® TECHNOLOGY



EP3

PART #	UPC	DESCRIPTION
EP3-BK-MPR	084871315166	DOUBLE FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, BLACK NSN 6515-01-603-3450
EP3-BK-MPR-BULK	084871315517	DOUBLE FLANGED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, BLACK NSN 6515-01-606-4544
EP3-MPR	084871250603	DOUBLE FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, CLEAR NSN 6515-01-549-6453
EP3-MPR-BULK	084871250627	DOUBLE FLANGED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, CLEAR NSN 6515-01-606-4498

NRR (OPEN/CLOSED)	SNR (OPEN/CLOSED)
11 / 24	18 / 26

EP4

PART #	UPC	DESCRIPTION
EP4-BK-MPR	084871315197	TRIPLE FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP4-BK-MPR-BULK	084871314978	TRIPLE FLANGED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, BLACK NSN 6515-01-606-4552
EP4-MPR	084871311526	TRIPLE FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, CLEAR
EP4-MPR-BULK	084871311533	TRIPLE FLANGED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, CLEAR NSN 6515-01-606-4565
EP4-OR-MPR	084871318884	TRIPLE FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, ORANGE

NRR (OPEN/CLOSED)	SNR (OPEN/CLOSED)
12 / 24	19 / 27

EP7

PART #	UPC	DESCRIPTION
EP7-BK-MPR	084871319423	COMPLY FOAM TIPPED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP7-BK-MPR-BULK	084871319515	COMPLY FOAM TIPPED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, BLACK NSN 6515-01-622-2539
EP7-BK-LPR	084871319430	COMPLY FOAM TIPPED, FILTERED EARPLUGS, LARGE, 1 PAIR, BLACK
EP7-BK-LPR-BULK	084871319522	COMPLY FOAM TIPPED, FILTERED EARPLUGS, LARGE, 25 PAIR, BLACK NSN 6515-01-622-2558
EP7-MPR	084871319393	COMPLY FOAM TIPPED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, CLEAR
EP7-MPR-BULK	084871319485	COMPLY FOAM TIPPED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, CLEAR NSN 6515-01-622-2001
EP7-LPR	084871319409	COMPLY FOAM TIPPED, FILTERED EARPLUGS, LARGE, 1 PAIR, CLEAR
EP7-LPR-BULK	084871319492	COMPLY FOAM TIPPED, FILTERED EARPLUGS, LARGE, 25 PAIR, CLEAR NSN 6515-01-622-2001
EP7-COMPLY-ST-3SPR	084871320023	6 EA SHORT SLIM, COMPLY TIPS, BLISTER NSN 5965-01-643-9010
EP7-COMPLY-ST-3MPR	084871320030	6 EA SHORT STD, COMPLY TIPS, BLISTER NSN 5965-01-643-9238
EP7-COMPLY-ST-3LPR	084871320047	6 EA SHORT LARGE, COMPLY TIPS, BLISTER NSN 5965-01-643-9240

NRR (OPEN/CLOSED)	SNR (OPEN/CLOSED)
14 / 28	20 / 33



UAC

PART #	UPC	DESCRIPTION
EA10-UAC-ST	084871328784	UNIVERSAL ACOUSTIC COUPLER ASSEMBLY

1 VERSATILITY
フィルターまた無線音響管で妥協することなく、左右両方のFiltered Series Ear Proに使用できるように設計されています。

2 INNOVATIVE
EarProを取り外さずにキャップを閉じることができるため、最大限の聴力保護が維持されます。

3 ADAPTABILITY
オープン時には周辺状況が認識できて双方向の無線通信が可能となり、クローズ時には音を遮断するという2つのオプションがあります。

4 COMPATIBILITY
UACカプラーは、最新の音響管に対応可能です。

NEED A PEN?

PEN III

PART #	UPC	DESCRIPTION
EWP-03-BK	084871314763	SUREFIRE WRITING PEN, BLACK, CLICK TAILCAP MECHANISM
EWP-03-TN	084871314770	SUREFIRE WRITING PEN, TAN, CLICK TAILCAP MECHANISM

PEN IV

PART #	UPC	DESCRIPTION
EWP-04-BK	084871314824	SUREFIRE WRITING PEN, BLACK, CLICK TAILCAP MECHANISM

SUREFIRE

SUREFIRE 生涯保証 修理サービスについて

弊社より流通・販売を行っておりますSUREFIREには生涯保証を記す保証書が添付されております。
この保証は通常使用において発生した故障・破損を無償にて機能復元を図るという大きなサービスでございます。

保証の詳しい内容につきましては下記URLか
QRコードのWebサイトをご参照ください。

・補償内容と条件
https://surefire.jp/warranty-conditions/

・修理のお申込み
https://surefire.jp/repair-form/

・SUREFIREに関するお問合せ
https://surefire.jp/contact/

日本正規輸入代理店
七洋交産株式会社
〒577-0012 大阪府東大阪市長田東2丁目1-33 長田平成ビル801
TEL.06-6745-1815 FAX.06-6745-3717
http://www.surefire.jp